

203L Series



255L Series



310L Series



CHEST FREEZER
FAST FREEZING



Wide
Voltage Range



Power-off
Memory



Energy Saving



- Efficient manual defrost,R600A
- Keeps food fresh longer
- Quiet Operation,Power “ON”Light
- 0-24°C deep-freezing technology,6 cooling lev.
- Adjustable thermostat
- Easily temperature control
- with LED interior lighting
- Super big external handle.
- Classic white color
- Removable interior glass
- Front access drain
- Stay-Open lid
- Lock with key
- 2 Sliding bulk storage baskets
- Upfront defrost water drain
- Door finishing (PCM)


Feature and Parts



LED indicator



Big external handle



Push-and-pull glass door



Child lock




Sliding storage basket



External condenser



Six kinds of temperature for selection



Features

Power-Off Protection

Fully insulated: Foam insulated cabinet and lid and magnetic closure keep the cold air inside where it belongs to maintain a stable and cooling storage environment and prevent the coming heat.




- 85mm Insulation Layer

Other brand less than 70mm.

- Three Stage of Door Connection


Strong magnetic attraction power, prevent loss of cooling capacity.



-Ultrafine cellular foaming technology

The insulation layer is fine and uniformly distributed while the density is 3um.

* Inner temperature change from -18°C to -9°C and lasted for 30 hours after power-off.



Feature Highlights

Antirust and
antiseptic and
fireproofing
baseboard.




Totally food
grade
internal
compartment.




Removable
and washable
for door
gasket.



Hanging
Baskets
optional.





Parameter

| | BC/BD-203D-W-9L | BC/BD-255D-W-9L | BC/BD-310D-W-9L |
|---------------------------------------|-----------------|-----------------|-----------------|
| Cloro | White PCM | White PCM | White PCM |
| Capacity (L) | 191 | 241 | 293 |
| Standard power consumption (kW•h/24h) | 0.63 | 0.7 | 0.76 |
| Freezing capacity (Kg/24h) | 9 | 11 | 13.5 |
| NW/GW (kg) | 47/52 | 52/58 | 61/67 |
| Noise (dB(A)) | 42 | 42 | 42 |
| Product (W*D*Hmm) | 940*717*835 | 1120*717*835 | 1310*717*835 |
| Loading Capacity(40HQ) | 105 | 89 | 75 |