

Total no frost



LED display



Stylish interior LED ligh



Removable bottle rack



Water dispenser (optiona



Rotary ice box (optional



3



Top Mount Refrigerator GDFR-500WPC GDFR-600WPC



Top Mount Refrigerator Product Catalogue



GDFR-500WP

Futures

- · Total no frost
- · Intelligent inverter technology
- · Electronic temperature control
- · LED display
- · Stylish interior LED light
- · Large storage capacity
- Energy-saving · Low noise · Rotary ice box (optional)

PCM&VCM& glass (optional)



No Frost 704 mm (R600a)



GDFR-600WP

Futures

· Total no frost

- · Intelligent inverter technology
- · Electronic temperature control
- LED display
- · Stylish interior LED light · 90° right-angle door-opening design
- · Large storage capacity

· External handle

Energy-saving

· Low noise

· Removable bottle rack



- · Water dispenser (optional)
- · Rotary ice box (optional)



Mexical	Total Filmitive (Vcu.ft]	Fridge Volume (l/cs.ft)	Freezer Vrisime (I/cu.ft)	Climato	Freezing Caracity (kg/24h)	Thimmericin	Packing Dimension (W*D*Hmm)	Net/Gross Weight (kg)	Carpanity/
GDFR-540WP	505/17.83	372/13.14	133/4.69	T	6.5	835.3*710*1785	891*759*1844	88/100	52

Mistol	Total Effective (i/cu.ft)	Fridge Votume (Vouint)	Freezer Volumis (l/cu.ft)	filmate	Freezing Canacity (kg/24h)	Product Dimension (W*D*Hmm)	Packing Dimension (W*D*Hmm)	Net/Gross Weight (kg)	Loading Capacity (40HQ)
GDFR-460WP	420/14.84	316/11.17	104/3.67	т	5	704*701*1785	760*738*1837	76/85	67


External handle

Removable bottle rack





TOP-MOUNTED NO FROST & INVERTER





NEW Star Model ★



Features

Total no frost

- With electricity failure (power off) memory function
- Big external handles
- Removable bottle rack
- Stylish interior LED light
- Intelligent inverter compressor
- With ion dedorization system
- 90° right-angle door-opening design
- Electronic temperature control with LED display
- T3 Climate
- Built in condenser
- White PCM and Stainless Steel door optional
- High energy class, low consumption
- Large storage capacity

GREE MODEL	POWER	GROSS CAPACITY(L/cu.ft)	NET CAPACITY(L/cu.ff)	COLOR	LOADING CAPACITY
BDFR-500WPC-SS5L	220~230V/50Hz/60Hz	460L/16.25cu.ft	420L/14.80cu.ft	Stainless Steel/White	67
BDFR-600WPC-WH5L	220~230V/50Hz/60Hz	540L/19.08cu.ft	505L/17.84cu.ft	Stainless Steel/White	67